

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(assign\$3 with (index or key) with (delay\$3 or defer\$5 or postpon\$5 or wait\$5) with commit\$5) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/12 19:59
L2	8	((index or key) with (delay\$3 or defer\$5 or postpon\$5 or wait\$5) with commit\$5) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/12 19:59
S1	5	((assign\$3 or associat\$3) with (index\$3 or identif\$5 or nam\$3 or key\$3) with (put\$5 or commit\$5) with (message\$3 or transaction\$2) with queu\$3) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/20 17:29
S2	2	"6058389".pn. or "5857180".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/20 17:30
S3	1	"20020087507"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/17 08:34
S4	63	(index\$3 and queue).ab. and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/09/29 15:39
S5	12	(index\$3 and queue).ab. and (@ad<"20000721") and ((monitor\$3 or determin\$3 or identif\$5) with availab\$9)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/16 18:01
S6	182	(index\$3 same queue) and ((monitor\$3 or determin\$3 or identif\$5) with availab\$9) and (queue with message\$2) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/16 18:03
S7	170	(index\$3 same queue) and ((monitor\$3 or determin\$3 or identif\$5) with availab\$9) and (queue with message\$2) and ((request\$3 or retriev\$3) same (message\$2 or queue\$2)) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/16 18:06
S8	107	(index\$3 same queue) and ((monitor\$3 or determin\$3 or identif\$5) with availab\$9) and (queue with message\$2) and (((request\$3 or retriev\$3) with message\$2) same queue\$2) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/16 18:05

S9	10	(index\$3 same queue) and ((monitor\$3 or determin\$3 or identif\$5) with availab\$9) and (queue with message\$2) and ((request\$3 or retriev\$3) same (message\$2 or queue\$2)) and (@ad<"20000721") and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/16 18:06
S10	52	(queue and (message adj oriented adj middleware)) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/17 09:52
S11	8	(index\$3 same (message\$3 or transaction\$2) same queu\$3) and (message adj oriented adj middleware) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/17 10:02
S12	397	((index\$3 or identif\$5 or nam\$3 or key\$3) with (((put\$5 or plac\$3) with (message\$3 or transaction\$2) with queu\$3) or enqueue\$3)) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/03/17 11:11
S13	14	(assign\$3 with (index\$3 or identif\$5 or nam\$3 or key\$3) with (((put\$5 or plac\$3) with (message\$3 or transaction\$2) with queu\$3) or enqueue\$3)) and (@ad<"20000721")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/08/20 17:26